

A 5G-powered 11" tablet to elevate your enterprise

## Included In This Box

- RHINO T105
- · USB-C cable (USB 2.0)
- Charger block
- · Quick start guide
- · SIM pin



### **Get Started**

Press and hold the power button for 4 seconds until the devices turns on and vibrates.

This device may be pre-provisioned by your organization, so the Android setup flow you are used to may be interrupted by the Android zero-touch management prompt.

## **User Manual**

Download the full user manual for this device at <a href="mailto:support.rhinomobility.com">support.rhinomobility.com</a>

# **Software and Security Updates**

Check for the latest software and security updates at <a href="mailto:support.rhinomobility.com/security/releases">support.rhinomobility.com/security/releases</a>

# **Customer Support**

Online: Go to <a href="mailto:support@rhinomobility.com">support@rhinomobility.com</a>
Email: <a href="mailto:support@rhinomobility.com">support@rhinomobility.com</a>

## Warranty


Your RHINO device is protected by a one (1) year limited liability warranty against manufacturing defects. This does not affect your statutory rights.

Further warranty can be found at rhinomobility.com/warranty

#### **CE Statement**

- 1. The adapter shall be installed near the equipment and shall be easily accessible.
- 2. Do not use the device in an environment at too high or too low a temperature, never expose the device to strong sunshine or wet environments. The operating temperature for the product is 0°C to 40°C.
- 3. Caution, risk of explosion if battery is replaced by an incorrect model. Dispose of used batteries according to the instructions.
- 4. The SAR limit of Europe is 2.0 W/kg. This device was tested for typical body-worn operations with the back of the device kept 0mm from the body. To maintain compliance with RF exposure requirements, use accessories that maintain a 0mm separation distance between the user's body and the back of the device. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with RF exposure requirements and should be avoided.

- 5. RF frequency and power values for this device are published at support.rhinomobility.com
- 6. The Wi-Fi function is restricted to indoor use only when operating in the 5150 MHz to 5350 MHz frequency range.



7. Prevention of hearing loss:



#### Prevention of Hearing Loss

To prevent possible hearing damage, do not listen at high volume levels for long periods.

## Manufacturer Information

Rhino Mobility LLC 8 The Green, Suite A. Dover, Delaware, 19901, USA

# **EU and UKCA Regulatory Conformance**

Hereby, Rhino Mobility LLC declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU and Radio Equipment Regulations 2017. For the declaration of conformity, visit the Website rhinomobility.com

Manufacturer: Rhino Mobility LLC 8 The Green, Suite A, Dover, Delaware 19901, USA © 2025 Rhino Mobility™. All rights reserved. Not intended for consumer use or resale.