


RHINO C6D



At a glance

Android 13.0
Android 14 (Coming Soon!)
4GB (3GB Option) RAM
32GB Storage
Global LTE
EMM validated

Getting started

Doc	Description
Quickstart	Get started with your device quickly
Device manual	Learn how to use your C6 in detail

Device spec

Display	6" HD+ 282 PPI TFT LCD with IPS panel Brightness up to 350cd/m2 720x1560 resolution Viewing angles 80°/80°(v/h) 16.7m colours 20:9 aspect ratio 60Hz refresh rate 5 touch points
Memory & storage	3 or 4GB 32GB
Processor	Snapdragon 680 SM6225 Octacore 2.4GHz
Battery	4000mAh Li-ion Quick Charge 2.0, 18W 30 hours typical use 9 days standby

SIM	Nano-SIM & eSIM
Ports	SIM MicroSD up to 1TB USB Type C, USB 2.0 3.5mm jack
Audio	Microphone Speaker
Connectivity	LTE Cat 4 2G: 2 3 5 8 3G: 1 2 4 5 4G: 1 2 3 4 5 7 12 13 14 17 18 19 20 25 26 29 30 41 66 71 Wi-Fi 802.11 a/b/g/n/ac Bluetooth 5.1 NFC Location: GPS, A-GPS, Galileo, QZSS
Camera	5MP front 13MP rear
Sensors	Accelerometer eCompass Barometer Fingerprint Ambient light sensor Proximity sensor
Environmental	Functional up to 95% humidity 0c to 45c typical operating temp Unboxed(LHW): 161.8mm x 73.6mm x 10.1mm IP52 rated 0.8m drop-tested 5v @ 2.0A power
Certifications	FCC CE UKCA PTCRB Google Play Protect AT&T Network Optimized AT&T FirstNet Ready

Certification Documentation

DoC-CE

Product lifecycle

For product support and lifecycle status, please see the [security](#) page.

Warranty information

All RHINO hardware comes with a 1 year limited warranty. For detailed warranty information, please see [RHINO Warranty](#).